

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Aqua Shield X

Version number: GHS 2.0
Replaces version of: 2023-04-11 (GHS 1)

Revision: 2023-11-08

SECTION 1: Identification

1.1 Product identifier

Trade name **Aqua Shield X**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Professional use
Industrial use

HS code 3404.90.00.

1.3 Details of the supplier of the safety data sheet

Verax Chemical Company
20102 Broadway Ave.
Snohomish, WA 98296

360-668-2431

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500
24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

not required

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of substance | Identifier | Wt% | Classification acc. to GHS |
|---------------------------|---------------------|--------|--|
| 2-(2-butoxyethoxy)ethanol | CAS No 112-34-5 | 1 - <5 | Eye Irrit. 2 / H319 |
| 1-butoxypropan-2-ol | CAS No 5131-66-8 | 1 - <5 | Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Flam. Liq. 4 / H227 |

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Aqua Shield X

Version number: GHS 2.0
Replaces version of: 2023-04-11 (GHS 1)

Revision: 2023-11-08

Hazardous ingredients, Consideration of other advice

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

Exact percentage of ingredients is withheld as a trade secret.

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Aqua Shield X

Version number: GHS 2.0
Replaces version of: 2023-04-11 (GHS 1)

Revision: 2023-11-08

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

frost

7.3 Specific end use(s)

See section 16 for a general overview.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Aqua Shield X

Version number: GHS 2.0
Replaces version of: 2023-04-11 (GHS 1)

Revision: 2023-11-08

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) | | | | | | | | | | | |
|--|-----------------------------------|----------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|--------------|
| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
| US | diethylene glycol monobutyl ether | 112-34-5 | TLV® | 10 | | | | | | iv | AC-GIH® 2019 |

Notation

Ceiling-C

ceiling value is a limit value above which exposure should not occur

iv inhalable fraction and vapor

STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components

| Name of substance | CAS No | End-point | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|---------------------------|-----------|-----------|-----------------------|------------------------------------|-------------------|----------------------------|
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | DNEL | 68 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | DNEL | 83 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | DNEL | 68 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | DNEL | 101 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |
| 1-butoxypropan-2-ol | 5131-66-8 | DNEL | 147 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| 1-butoxypropan-2-ol | 5131-66-8 | DNEL | 52 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |

Relevant PNECs of components

| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
|---------------------------|----------|-----------|-----------------|-------------------|------------------------------|------------------------------|
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | PNEC | 200 mg/l | microorganisms | sewage treatment plant (STP) | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | PNEC | 4 mg/kg | benthic organisms | sediment | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | PNEC | 56 mg/kg | (top) predators | water | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | PNEC | 3.9 mg/l | aquatic organisms | water | intermittent release |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | PNEC | 0.4 mg/kg | pelagic organisms | sediment | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | PNEC | 200 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Aqua Shield X

Version number: GHS 2.0
Replaces version of: 2023-04-11 (GHS 1)

Revision: 2023-11-08

| Relevant PNECs of components | | | | | | |
|------------------------------|-----------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | PNEC | 1.1 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | PNEC | 0.11 mg/l | aquatic organisms | marine water | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | PNEC | 4.4 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | PNEC | 0.44 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | PNEC | 0.32 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 10 mg/l | microorganisms | sewage treatment plant (STP) | short-term (single instance) |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 2.4 mg/kg | benthic organisms | sediment | short-term (single instance) |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 5.3 mg/l | aquatic organisms | water | intermittent release |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 0.24 mg/kg | pelagic organisms | sediment | short-term (single instance) |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 0.53 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 0.052 mg/l | aquatic organisms | marine water | short-term (single instance) |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 10 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 2.4 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 0.24 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 0.16 mg/kg | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Aqua Shield X

Version number: GHS 2.0
Replaces version of: 2023-04-11 (GHS 1)

Revision: 2023-11-08

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| | |
|----------------|-----------------------|
| Physical state | liquid |
| Color | blue |
| Particle | not relevant (liquid) |
| Odor | fruity |

Other safety parameters

| | |
|---|-----------------------------------|
| pH (value) | 4 – 5 (25 °C) |
| Melting point/freezing point | not determined |
| Initial boiling point and boiling range | 100 °C |
| Flash point | >100 °C at 1 atm closed cup |
| Evaporation rate | Not determined |
| Flammability (solid, gas) | not relevant, (fluid) |
| Vapor pressure | 32 hPa at 25 °C |
| Density | 0.99 g/ml |
| Vapor density | this information is not available |

Solubility(ies)

| | |
|--------------------|----------------------------|
| - Water solubility | miscible in any proportion |
|--------------------|----------------------------|

Partition coefficient

| | |
|-----------------------------|-----------------------------------|
| - n-octanol/water (log KOW) | this information is not available |
|-----------------------------|-----------------------------------|

| | |
|---------------------------|--|
| Auto-ignition temperature | 210 °C (auto-ignition temperature (liquids and gases)) |
| Viscosity | not determined |
| Explosive properties | none |
| Oxidizing properties | none |

| | |
|--|---|
| Temperature class (USA, acc. to NEC 500) | T3 (maximum permissible surface temperature on the equipment: 200 °C) |
|--|---|

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Aqua Shield X

Version number: GHS 2.0
Replaces version of: 2023-04-11 (GHS 1)

Revision: 2023-11-08

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Aqua Shield X

Version number: GHS 2.0
Replaces version of: 2023-04-11 (GHS 1)

Revision: 2023-11-08

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

| | | |
|------|---|---|
| 14.1 | UN number | not subject to transport regulations |
| 14.2 | UN proper shipping name | not relevant |
| 14.3 | Transport hazard class(es) | none |
| 14.4 | Packing group | not assigned |
| 14.5 | Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 | Special precautions for user | There is no additional information. |
| 14.7 | Transport in bulk according to IMO instruments | The cargo is not intended to be carried in bulk. |

Information for each of the UN Model Regulations

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Aqua Shield X

Version number: GHS 2.0
Replaces version of: 2023-04-11 (GHS 1)

Revision: 2023-11-08

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed (ACTIVE) or exempt from listing

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

| Name of substance | CAS No | Functionality | Authoritative Lists |
|--|------------|------------------|------------------------|
| water | 7732-18-5 | solvent | |
| silicone emulsion NJTS# 946137-01 | | shine agent | |
| amino-alkoxy dimethylsiloxane | 71750-80-6 | surface modifier | |
| 2-(2-butoxyethoxy)ethanol | | co-solvent | CA TACs |
| 1-butoxypropan-2-ol | 5131-66-8 | co-solvent | |
| benzyl benzoate | 120-51-4 | fragrance | EU Fragrance Allergens |
| 3,7-dimethyloctan-3-ol | 78-69-3 | fragrance | |
| citral | 5392-40-5 | fragrance | |
| alpha terpineol | 98-55-5 | fragrance | |
| 5-chloro-2-methyl-3-isothiazolin-3-one | 26172-55-4 | preservative | |
| Liquid Blue Lace | 3844-45-9 | colorant | |

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Aqua Shield X

Version number: GHS 2.0
Replaces version of: 2023-04-11 (GHS 1)

Revision: 2023-11-08

- Toxic or Hazardous Substance List (MA-TURA)

| Name of substance | CAS No | DEP CODE | PBT / HHS / LHS | PBT / HHS Threshold | De Minimis Concentration Threshold |
|---------------------------|--------|----------|-----------------|---------------------|------------------------------------|
| 2-(2-butoxyethoxy)ethanol | | 1022 | | | 1.0 % |

- Hazardous Substance List (NJ-RTK)

| Name of substance | CAS No | Remarks | Classifications |
|---------------------------|--------|---------|-----------------|
| 2-(2-butoxyethoxy)ethanol | | | |

- Hazardous Substance List (Chapter 323) (PA-RTK)

| Name acc. to inventory | CAS No | Classification |
|------------------------|--------|----------------|
| GLYCOL ETHERS | | E |

Legend

E Environmental hazard

- Hazardous Substance List (RI-RTK)

none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

VOC content

- Regulated Volatile Organic Compounds (VOC-EPA) 1.8 %
- Regulated Volatile Organic Compounds (VOC-Cal ARB) 1.8 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| Category | Rating | Description |
|---------------------|--------|--|
| Chronic | / | none |
| Health | 0 | no significant risk to health |
| Flammability | 1 | material that must be preheated before ignition can occur |
| Physical hazard | 0 | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | - | |

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Aqua Shield X

Version number: GHS 2.0
Replaces version of: 2023-04-11 (GHS 1)

Revision: 2023-11-08

| Category | Degree of hazard | Description |
|----------------|------------------|---|
| Flammability | 1 | material that must be preheated before ignition can occur |
| Health | 0 | material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material |
| Instability | 0 | material that is normally stable, even under fire conditions |
| Special hazard | | |

National inventories

| Country | Inventory | Status |
|---------|------------|-------------------------------------|
| CA | DSL | all ingredients are listed |
| EU | REACH Reg. | not all ingredients are listed |
| US | TSCA | all ingredients are listed (ACTIVE) |
| AU | AIIC | not all ingredients are listed |
| CN | IECSC | not all ingredients are listed |
| EU | ECSI | not all ingredients are listed |
| JP | CSCL-ENCS | not all ingredients are listed |
| JP | ISHA-ENCS | not all ingredients are listed |
| KR | KECI | not all ingredients are listed |
| MX | INSQ | not all ingredients are listed |
| NZ | NZIoC | not all ingredients are listed |
| PH | PICCS | not all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | not all ingredients are listed |

Legend

| | |
|------------|---|
| AIIC | Australian Inventory of Industrial Chemicals |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| ISHA-ENCS | Inventory of Existing and New Chemical Substances (ISHA-ENCS) |
| KECI | Korea Existing Chemicals Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Aqua Shield X

Version number: GHS 2.0
Replaces version of: 2023-04-11 (GHS 1)

Revision: 2023-11-08

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|--|---|-----------------|
| 1.1 | Trade name: Verax Aqua Shield X | Trade name: Aqua Shield X | yes |
| 2.3 | Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$. | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$. | yes |
| 3.2 | | Description of the mixture: change in the listing (table) | yes |
| 12.6 | Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$. | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$. | yes |
| 15.1 | Toxic Substance Control Act (TSCA): all ingredients are listed (ACTIVE) | Toxic Substance Control Act (TSCA): all ingredients are listed (ACTIVE) or exempt from listing | yes |
| 16 | | Abbreviations and acronyms: change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|---------------|--|
| 49 CFR US DOT | 49 CFR U.S. Department of Transportation |
| ACGIH® 2019 | From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement |
| Cal ARB | California Air Resources Board |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DEP CODE | Department of Environmental Protection Code |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EPA | Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| Flam. Liq. | Flammable liquid |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| HHS | Higher hazard substance |
| HS | Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation) |

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Aqua Shield X

Version number: GHS 2.0
Replaces version of: 2023-04-11 (GHS 1)

Revision: 2023-11-08

| Abbr. | Descriptions of used abbreviations |
|----------------|---|
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| LHS | Lower hazard substance |
| NLP | No-Longer Polymer |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition |
| OSHA | Occupational Safety and Health Administration (United States) |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| RTECS | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| STEL | Short-term exposure limit |
| TLV® | Threshold Limit Values |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--------------------------------|
| H227 | Combustible liquid. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.